

## 2 PIECE NEW SLIP YOKE REAR FLANGE TYPE PINION

NAME:	PHONE:
ADDRESS:	
	IMPORTANT:  The Driveshaft MUST be measured in normal road driving position.  If the vehicle is to be jacked up it MUST be jacked up on the differential.  Take all length dimensions from Vehicle – NOT the old driveshaft.  Note: If Trans. has a boot type seal that sticks out, go all the way to end of gearbox housing where seal drives in.  Front Length?  Rear Length?  Pinion Flange  Trans Output Shaft Length past gearbox housing  Note: We need Spigot Diameter and Bolt Circle Diameter.  Centre of Carrier Bearing Bolt Holes. When measuring the frame of truck,

DESCRIPTION		DOCUMENT MEASUREMENTS HERE							
Vehicle Make									
Front Length *From end of gearbox housing to centre of carrier bolt holes									
Rear Length *From centre of carrier holes to flat face of pinion flange									
Transmission Type OR Output Spline Count									
Differential type if known									
Boot Seal on Transmission?	□ Yes □		□ No	Boot Seal Length					
Bolt circle diameter (measure distance between holes)	Diago	nal		Left to Right		Top to bottom			
Spigot	□ Recessed		essed		Diameter				

<u>Measuring bolt circle diameter</u> — Measure the distance between the centre of holes diagonally, left to right and top to bottom.

RPM Test fit Required Yes No Approx. HP